




Legal Retention and Destruction of Hospital Patient Medical Records

This procedural document supersedes: CORP/REC 8 v.6 – Legal Retention and Destruction of Hospital Patient Health Records



The Trust discourages the retention of hard copies of policies and can only guarantee that the policy on the Trust website is the most up-to-date version. **If, for exceptional reasons, you need to print a policy off,** <u>it is only valid for 24 hours.</u>

Executive Sponsor(s):	David Purdue – Director of Nursing, Midwifery and Allied Health Professionals
Name of author/reviewer:	Judy Lane – Patient Services Manager
Date revised:	September 2019
Agreed by:	Clinical Records Committee
Approved by (Committee/Group):	Policy Approval and Compliance Group
Date approved:	15 October 2019
Date issued:	20 December 2019
Next Review date:	September 2022
Target audience:	Trust-wide

Amendment Form

Brief details of the changes made:

Version	ersion		
	Date Issued	Brief Summary of Changes	Author
Version 7	20 December 2019	 Additional guidance on retention periods for patients affected by the National Infected Blood Inquiry (IBI) Additional guidance on retention periods for patients affected by The Independent Inquiry into Child Sexual Abuse (IICSA) (known as the Goddard Inquiry) Updated from CaMIS casenote tracking module to iFIT 	Judy Lane
Version 6	23 November 2016	 Updated with the Goddard Inquiry in mind. Totalcare PAS has changed to CaMIS PAS. Updated to Medical Records Manager/Patient Services Manager throughout. Format updated. Changed appendices from A, B, C to 1, 2, 3. 	Judy Lane
Version 5	March 2012	 Major changes throughout – PLEASE READ IN FULL Additional guidance on retention periods (Appendix A revised) Additional guidance on selection of records for destruction (Appendix B revised) Local retention indicators revised Roles and Responsibilities identified Guidance on scanned Medical records 	Dr G Payne Christine Coates Julie Robinson
Version 4	Jan 2009	 Additional Guidance on Destruction Process. Additional guidance on selection of records for destruction - Appendix B 	Christine Coates/ Clinical Records Sub-committee
Version 3	August 2006	 Additional guidance on retention periods Additional guidance on retention periods for patients diagnosed with Creutzfeldt- Jakob Disease (CJD) New guidance on electronic records 	Christine Coates/ June Hines

Contents

Page No.

1.	INTRODUCTION	1
2.	PURPOSE	1
3.	RETENTION AND DISPOSAL ARRANGEMENTS	1
4.	ROLES AND RESPONSIBILITIES	5
5.	CONFIDENTIALLY REVIEWING AND RECORDING DISPOSAL DECISIONS	5
6.	RECORDS OF DESTRUCTION AND DISPOSAL	5
7.	PERMANENT RETENTION	7
8.	TRAINING AND EDUCATION	7
9.	MONITORING AND COMPLIANCE	7
10.	EQUALITY IMPACT ASSESSMENT	3
11.	OTHER ASSOCIATED TRUST PROCEDUREAL DOCUMENTS	3
12.	DATA PROTECTION	3
13.	REFERENCES)
APP	ENDIX 1 – MEDICAL RECORDS RETENTION SUMMARY 10)
APP	ENDIX 2 – PROCEDURAL CHECK LIST 14	1
APP	ENDIX 3 – EQUALITY IMPACT ASSESSMENT - PART 1 INITIAL SCREENING	5

1. INTRODUCTION

Under the terms of the Public Records Act 1958 all NHS records are public records, and all NHS organisations have a duty to make arrangements for the safe keeping and eventual disposal of their records.

The Trust has developed a Code of Practice for the Management of Trust Information Records (**CORP/ICT 14**), where the requirements of the Records Management NHS Code of Practice published by the Department of Health Medical are outlined.

The guidelines contained in the Code of Practice are based upon current legal requirements and professional best practice, and apply to NHS Records of all types regardless of the media on which they are held including electronic or paper based patient Medical records.

The Code of Practice together with supporting annexes identifies the specific minimum retention periods for the effective management of all types of Medical records.

A Medical record for the purpose of this policy is a single record with a unique identifier containing information relating to the physical or mental health of a given patient who can be identified from that information and which has been recorded by, or on behalf of, a health professional, in connection with the care of that patient. This may comprise of text, sound, image and /or paper and must contain sufficient information to support the diagnosis, justify the treatment and facilitate the ongoing care of the patient to whom it refers.

This policy relates specifically to patient Medical records, and takes as the foundation of its recommendations the Records Management NHS Code of Practice which replaces previous guidance:

HSC 1999/053 - For the Record

HSC 1998/153 - Using Electronic Patient Records in Hospitals; Legal Requirements and Good Practice

2. PURPOSE

The General Data Protection Regulation (GDPR) & the Data Protection Act (DPA) 2018 state that personal information about a patient processed or held for any purpose should not be retained longer than is necessary for that purpose. Medical records held within the Trust will adhere to the minimum retention guidance periods set out in the Records Management NHS Code of Practice, which also takes into account the Limitations Act of 1980 and the Congenital Disabilities (Civil Liability) Act 1976.

3. RETENTION AND DISPOSAL ARRANGEMENTS

For detailed guidance on the retention periods for the full range of Medical records, refer to Corporate Policy **CORP/ICT 14** - Information Records Management Code of Practice **plus** DoH

Records Management Code of Practice Part 1 and Records Management Code of Practice Part 2 attached to that policy.

There are separate and explicit schedules relating to Medical records, the following types of record are covered:

- Patient Medical records
- Accident & Emergency, birth and all other registers
- Theatre, minor operations and other related registers
- X-ray and imaging reports, output images
- Microfiche/microfilm, audio and video tapes, cassettes, CD-ROM's, Memory Sticks etc.
- Scanned documents

For ease of reference see **Appendix 1**.

N.B. (N) indicates New guidelines (C) Indicates a Change

4. ROLES AND RESPONSIBILITIES

General Managers, Business Managers, Service Managers and Team Leaders are responsible for familiarising staff with the national or locally agreed retention requirements for patient records within that specialty.

Clinical staff in the operational area that ordinarily uses the records must be familiar with the national and locally agreed retention requirements for patient records within that operational area.

Clinicians must clearly identify where a patients record's must be retained longer than the **standard** period of **8 years** after the date of the patient's last attendance, or 8 years after the date of death for adults, or beyond the recommended **25 years** retention period for paediatric and maternity records.

Where a longer retention period is required, clinicians must indicate this on the front of the folder in the box provided, and date and record the reason as an alert inside the casenote folder.

The Medical Records Manager/Patient Services Manager will on request provide staff undertaking the cull of non-current Medical records with the relevant deadline dates for retention / destruction decisions and will produce a report to identify patients that have not had an attendance on any PAS systems for 8 years or more. **See Appendix 2.**

Medical Records Department and all clinical admin staff must ensure that a current year label is routinely attached to the outside cover of casenotes to identify the last year of attendance.

e.g. where a patients last attendance was 2018

2018

This will assist with the annual cull of patient records for pre-destruction preparation. Supplies of current year labels are available from medical records departments.

Where a clinician has indicated that records need to be retained indefinitely, a label must be attached to the casenotes by Medical records staff as part of the retention process prior to filing.

e.g.

DO NOT DESTROY RETAIN INDEFINITELY

5. CONFIDENTIALLY REVIEWING AND RECORDING DISPOSAL DECISIONS

The Medical Records Manager/Patient Services Manager must be reassured that only Medical records department trained staff will undertake the review of patient Medical records to determine whether they should be confidentially disposed of.

Reference must be made to:

- Indicators on the front of the casenote folders
- Indicators on the inside cover of the casenote folders
- Indicators on the 'Alert' page inside the casenotes
- Individual retention guidelines particular to specific Medical record types, see Appendix 1
- The basic check list relevant to the current year, see **Appendix 2.**

Scanning Records into Electronic Format

Where for reasons of efficiency or in order to address problems with storage space, before selecting the option of scanning into electronic format records which exist in paper format, first consideration must be given to:

- Whether the format might influence the archival value or evidential value
- The records must be stored to the required standards (BIP000 British Standards Code of Practice for Legal Admissibility and Evidential Weight of Information Stored Electronically).

6. RECORDS OF DESTRUCTION AND DISPOSAL

Medical records (including copies) not selected for preservation must be destroyed in a secure and confidential manner. This can be undertaken on site or via an approved contractor. The contractor, if used, must sign a confidentiality undertaking and produce written certification as proof of destruction i.e. British Standards compliant (BS EN 15713:2009 - Secure destruction of confidential material).

The organisation must ensure that the methods used to dispose of records, showing their reference, description and date of destruction are maintained and preserved so that the organisation is aware that the records have been destroyed and are no longer available.

A full, thorough and detailed check is carried out on each potential set of patient casenotes by checking all systems (CaMIS PAS, McKesson PAS, and National Care Record Service) prior to destruction. Including in this check which is carried out by two trained medical records staff each set of casentoes are read to check for any medical condition or reference to any of the items listed in Appendix 1.

If a record due for destruction is known to be the subject of a request for information, or potential legal action, destruction must be delayed until disclosure has taken place or legal process has been completed.

If after the required checks, it is determined that case notes are still eligible for destruction:

- Destroyed Medical records must be marked on iFIT as destroyed by selecting the correct patient and the correct volume and marking the casenotes as destroyed
- Treatment numbers must not be removed from any PAS system when casenotes have been destroyed. The previously destroyed folders must remain tracked to the destroyed location code indicating that the casenotes were destroyed.

7. PERMANENT RETENTION

Records may not ordinarily be retained for more that 30 years unless the retention schedules in **CORP/ICT 14** specify, but the Public Records Act provides for records still in current use to be legally retained.

If the organisation identifies patient Medical records to be preserved as archives, consult with the National Archives, refer to **CORP/ICT 14.**

8. TRAINING AND EDUCATION

Full training is given to all staff within the Medical Records Department to ensure compliance with the National Guidelines on Health Records Retention Summary – see **Appendix 1.** This is to be used in conjunction with **Appendix 2** – Procedural Check List.

9. MONITORING AND COMPLIANCE

Compliance with this policy will be monitored by the Medical Records Manager/Patient Services Manager by use of the CaMIS system reports, and casenote structure audits.

What is being Monitored	Who will carry out the Monitoring	How often	How Reviewed/ Where Reported to
The correct retention and destruction of patient casenotes.	Patient Services Manager and Assistant Medical Records Managers	Monthly	Any exceptions or deviations will be reported on DATIX
The correct retention and destruction of patient casenotes.	Patient Services Manager and Assistant Medical Records Managers	Yearly	Relevant trained staff are updated on which year of attendances to check

10. EQUALITY IMPACT ASSESSMENT

The Trust aims to design and implement services, policies and measures that meet the diverse needs of our service, population and workforce, ensuring that none are disadvantaged over others. Our objectives and responsibilities relating to equality and diversity are outlined within our equality schemes. When considering the needs and assessing the impact of a procedural document any discriminatory factors must be identified.

An Equality Impact Assessment (EIA) has been conducted on this procedural document in line with the principles of the Equality Analysis Policy (CORP/EMP 27) and the Fair Treatment For All Policy (CORP/EMP 4).

The purpose of the EIA is to minimise and if possible remove any disproportionate impact on employees on the grounds of race, sex, disability, age, sexual orientation or religious belief. No detriment was identified. (see Appendix 3).

11. OTHER ASSOCIATED TRUST PROCEDUREAL DOCUMENTS

CORP/ICT 14 - Information Records Management Code of Practice CORP/EMP 4 – Fair Treatment for All Policy CORP/EMP 27 – Equality Analysis Policy

12. DATA PROTECTION

Any personal data processing associated with this policy will be carried out under 'Current data protection legislation' as in the Data Protection Act 2018 and the General Data Protection Regulation (GDPR) 2016.

For further information on data processing carried out by the trust, please refer to our Privacy Notices and other information which you can find on the trust website: https://www.dbth.nhs.uk/about-us/our-publications/uk-data-protection-legislation-eu-general-data-protection-regulation-gdpr/

13. REFERENCES

Public Records Act 1958

Limitations Act 1980

Congenital disabilities (Civil Liability Act 1976)

Data Protection Act 2018

General Data Protection Regulation 2016

NHS Digital Records Management Code of Practice

BIP000 - British Standards Code of Practice for Legal Admissibility and Evidential Weight of Information Stored Electronically.

BS EN 15713:2009 - Secure Destruction of Confidential Material.

The Independent Inquiry into Child Sexual Abuse (IICSA) (known as the Goddard Inquiry)

APPENDIX 1 – MEDICAL RECORDS RETENTION SUMMARY

	Local or	RECORD TYPE	MINIMUM RETENTION PERIOD
	National		*Retention periods should be calculated from the end of the calendar year following the last entry
	Guidance		(clinicians must indicate where records should be retained longer/or the advice of the relevant
			clinician/s should be sought).
1	Nat (N)	Children and young people	Retain until patient's 25 th birthday or 26 th if young person was 17 at conclusion of
		(all types of records relating to	treatment, or 8 years after death. Clinicians must indicate if illness or death could
		children and young people)	have potential relevance to adult conditions or have genetic implications.
2	Nat	Child & Family Guidance	Retain for the period of time appropriate to the patient – e.g., children's records as in
			1; mentally disordered persons (within the meaning of the Mental Health Act 1983) as
			in 13 below or 8 years after the patient's death if they died while in the care of the
			organisation.
3	Nat (c)	Patients involved in Clinical	There should be a flag in the Medical records pertaining to the research/trial, the
		Trials	responsible clinician should note participation in a clinical trial on the Alert page and
			indicate if longer term retention is required.
4	Nat (c)	Counselling/Clinical Psychology/	Retain 20 years or 8 years after death if the patient died in the care of the
		Psychotherapy Records	organisation.
5	Nat	Creutzfeldt-Jakob Disease	Retain 30 years from date of diagnosis, including deceased patients.
6	Nat	Dental, Ophthalmic and	Retain 11 years for adults; for children, 11 years or up to their 25 th birthday,
		Auditory screening records	whichever is the longer.
7	Nat (N)	DNA (Medical records of	Where there is a letter informing the referrer – Retain 2 years
		patients who <u>did not attend</u> for	Where there is no letter informing the referrer – Retain for period appropriate to
		appointments as outpatients).	patient or specialty.
8	Nat (N)	Endoscopy Records	Retain 20 years or 8 years after the patient's death if the patient died while in the care
			of the organisation.
9	Nat (c)	Family Planning/ Contraception/	Adults - Retain 10 years after the last entry.
		GUM (includes sexual Medical)	Under age 18 - Retain until 25 th birthday or 10 years whichever is longer.
		records.	Records of deceased persons - Retain 8 years after death.

NB

(N) indicates New guidelines (C) Indicates a Change

	Local or	RECORD TYPE	MINIMUM RETENTION PERIOD
	National		* Retention periods should be calculated from the end of the calendar year following the last entry
	Guidance		(<u>clinicians must indicate where records should be retained longer/or</u> the advice of the relevant
			clinician/s should be sought).
10	Nat	Immunisation and Vaccination	Children and young people see 1.
		records	Adults – Retain 10 years after conclusion of treatment.
11	Nat	Maternity records (all obstetric	Retain for 25 years after the birth of the last child.
		and midwifery records including	
		those episodes of care that end in	
		stillbirth or where the child later	
		dies).	
12	Nat (N)	Mental Health Records – Child &	Retain 20 years from date of last contact, or until patient's 25 th / 26 th birthday,
		Adolescent (includes psychology	whichever is the longer period.
		records not listed elsewhere.	
13	Nat	Mentally disordered patients	Retain 20 years after the date of last contact between the patient and any Health care
		(within the meaning of any	professional employed by the provider, or 8 years after the death of the patient if
		Mental Health Act)	sooner.
14	Nat (c)	Joint replacement records	Retain 10 years (only the notes with specific information about the original prosthesis)
15	Nat (N)	Occupationally Related Diseases	Retain 10 years after date of last entry in record.
16	Nat	Oncology	Retain 30 years.
17	Nat	Photographic Records	Retain 30 years where images present the primary source of information for the
			diagnostic process.

NB (N) indicates <u>New guidelines</u> (C) Indicates a <u>Change</u>

	Local or	RECORD TYPE	MINIMUM RETENTION PERIOD
	National		st Retention periods should be calculated from the end of the calendar year following the last entry
	Guidance		(<u>clinicians must indicate where records should be retained longer/or</u> the advice of the relevant
			clinician/s should be sought).
18	Nat	Scanned Records relating to	Retain for the period of time appropriate to the patient/specialty
		patient care	NB Provided that the scanning process and procedures are compliant with BSI's
			BIP:000. Once the casenotes have been scanned the paper records can be destroyed
			under confidential conditions.
19	Nat (C)	X-Ray films (including other image	Retain for the period of time appropriate to the patient/specialty after conclusion of
		formats for all imaging	treatment.
		modalities/diagnostics)	Retain 9 years after final attendance
		Breast Screening X-rays	Screen detected cancers, Interesting cancers – Retain indefinitely
		Mammograms and Reports	Research cases – Retain 15 years after final attendance
			Age trial – cases – Retain 9 years
			Deaths – Retain 9 years
~ ~			Where product liability is involved - Retain 11 years
20	Nat	All other records	Retain 8 years after the date of the patient's last attendance, or 8 years after date of
		(including photographs)	death.
21	Nat (N)	Any Records relating to patients	Retain indefinitely until further notice
		affected by The Independent	
		Inquiry into Child Sexual Abuse	
		(IICSA) (known as the Goddard	
		Inquiry)	
22	Nat (N)	Any blood transfusion records	Retain indefinitely National Infected Blood Enquiry

NB

(N) indicates <u>New guidelines</u> (C) Indicates a <u>Change</u>

Other important periods for retention for paper- based records:

Record	Minimum Retention Period
Suicide notes of patients having committed suicide	10 years
Referral letters for patients treated by the organisation to which they were referred.	File in the service users Medical record - Retain appropriate to the care / treatment provided.
Referral letters not accepted	Where there is correspondence detailing the reason for non-acceptance - Retain for 2 years after decision not to accept. Where there is no correspondence detailing reason for non-acceptance - Retain for period appropriate to the patient / specialty.
Post Mortem Registers	30 years
Operation Registers	8 years
A&E Registers	8 years
Admissions and Discharge Books	8 years
Duplicate patient record notification forms	2 years

APPENDIX 2 – PROCEDURAL CHECK LIST

NB All casenotes must be checked by 2 trained staff

- 1. Check in the casenotes and all attendances recorded on TotalCare PAS and CaMIS, look for attendances on all Trust sites.
- 2. Retain all casenotes where the patient has:
 - Attendances recorded on any PAS system from the year to the present day
 - <u>or</u>
 - Date of Birth from the year onwards.
- **3. Confidentially Destroy** if the casenote and the PAS systems indicate that since the applicable years indicated above the patient has not attended <u>or</u> has only attended:
 - A&E
 - X-Ray
 - Physiotherapy
 - Orthotics
 - Orthopaedic Screening
- **4. Record the year** that the patient last attended on the outside cover of the Folder if it is not recorded or is inaccurate.
- 5. Before confidentially disposing of casenotes, where the patient attended before the above dates first check:
 - The retention grid on the front of the casenote folder and
 - The alert notices inside the casenotes for any special retention instructions and
 - The casenotes and
 - Appendix 1 of CORP/REC 8 for any of the diagnosis / history indicated where the following retention periods apply:

5 years retain from year onwards

9 years	"	 "
10 years	u	 "
11 years	u	 "
15 years	u	 "
20 years	u	 "
30 years	u	 "

6. Mark the casenotes on iFIT as destroyed

Do not remove the treatment number from CaMIS when casenotes have been destroyed.

APPENDIX 3 – EQUALITY IMPACT ASSESSMENT - PART 1 INITIAL SCREENING

Service/Function/Policy/Project/	Division/Executive	Assessor (s)	New or Existing Service or	Date of
Strategy	Directorate and Department		Policy?	Assessment
Legal Retention and Destruction of	Corporate - Performance	Judy Lane	Existing	September 2019
Hospital Patient Medical Records				
CORP/REC 8				
1) Who is responsible for this policy	? Name of Division/Directorate: P	erformance		
2) Describe the purpose of the serv	ice / function / policy / project/ st	rategy? Casenotes are des	troyed in line with National and loo	cal guidelines
3) Are there any associated objectiv	ves? National and local guidelines	and standards		
4) What factors contribute or detra	ct from achieving intended outcor	mes? Non-compliance		
		nder, gender reassignment	t, sexual orientation, marriage/civ	il partnership,
maternity/pregnancy and rel	igion/belief? No			
	rrent or planned activities to addr			
	ures which would promote equalit		n] No	
7) Are any of the following groups a	idversely affected by the policy? I	No		
Protected Characteristics Affected? Impact				
a) Age	No			
b) Disability	No			
c) Gender	No			
d) Gender Reassignment	No			
e) Marriage/Civil Partnership	No			
f) Maternity/Pregnancy	No			
g) Race	No			
h) Religion/Belief	No			
i) Sexual Orientation	No			
8) Provide the Equality Rating of the	e service / function /policy / proje	ct / strategy - tick (1) outcor	ne box	
Outcome 1 ✓ Outcome 2	Outcome 3	Outcome 4		
*If you have rated the policy as having an outcome of 2, 3 or 4, it is necessary to carry out a detailed assessment and complete a Detailed Equality Analysis form in Appendix 4				
Date for next review: September 2				
Checked by: Karen McAlpine	Date: S	September 2019		