Doncaster and Bassetlaw Hospital NHS Foundation Trust Drug and Therapeutics Committee Formulary Guidance - Therapeutic Substitution Policy

Therapeutic substitution is a pharmacist-initiated act by which a therapeutic alternative for the prescribed medicine is dispensed or supplied without consulting the prescriber. This denotes replacement of the prescribed medicine with a different medicine or formulation within the same therapeutic category.

The rationale for the policy is to reduce the incidence of being unable to supply or administer a non-formulary medicine. All therapeutic substitutions will be approved in advance by the Trust Drug and Therapeutics Committee.

This policy enables the pharmacists:

- 1. To authorise the supply of the therapeutic substitute to outpatients.
- 2. To delete an existing non-formulary medicine order and create a new order for the therapeutic substitute for an inpatient supply or a supply at discharge.

Where a pharmacist makes a therapeutic substitution the pharmacist will:

- 1. Ensure the patient or their representative is counselled so the patient understands the reason for the change.
- 2. For an outpatient, record on the outpatient prescription the change in preparation.
- 3. For an inpatient or discharge paper prescription, strike through the existing order and write on the prescription 'Formulary Substitution'. Create a new order with the therapeutic substitute.
- 4. For an inpatient or discharge electronic prescription delete the existing order with a discontinuation reason of 'Formulary Substitution'. Create a new order for the therapeutic substitute and attach a Clinical Pharmacy Note indicating a 'Formulary Substitution'.

Medicines considered suitable are listed in appendix 1 which will be maintained by the Drug and Therapeutics Committee.

This policy is subject to continual review based on current and future NHS medicine contracts to ensure the policy represents value for money for the NHS.

Author: Lee Wilson, Consultant Pharmacist

Approved by Drug and Therapeutics Committee: December 2022

Doncaster and Bassetlaw Hospital NHS Foundation Trust Drug and Therapeutics Committee Formulary Guidance - Therapeutic Substitution Policy

Appendix 1 – List of medicines approved for therapeutic substitution

Non Formulary Medicine	Dose	Indication	Formulary Therapeutic Substitute	Dose	
Inflammatory Bowel Disease: Am	inosalicylates				
Asacol (Mesalazine) MR (not stocked in DBTH pharmacies)	Up to 4.8g daily	Treatment of mild to moderate UC, acute attack; or Maintenance of remission of UC and Crohn's ileo-colitis	Octasa (Mesalazine) MR	Up to 4.8g daily	
Corticosteroids	Corticosteroids				
Prednisolone 5mg EC Tablets Prednisolone 5mg Soluble Tablets Prednisolone 2.5mg EC Tablets (not stocked in DBTH pharmacies)	Up to 60mg daily	Various	Prednisolone 5mg Tablets Prednisolone 2.5mg Tablets	Up to 60mg daily	

Author: Lee Wilson, Consultant Pharmacist

Approved by Drug and Therapeutics Committee: December 2022

Low Molecular Weight Heparins				
Tinzaparin (various strengths) Enoxaparin (various strengths)	For appropriate dosing, see BNF section 2	Treatment and Prophylaxis of VTE	Dalteparin (various strengths) Note: do not switch if allergic to dalteparin, consult haematology for further advice	For appropriate dosing, see BNF section 2
Perindopril Arginine				
Perindopril arginine 2.5mg, 5mg and 10mg Tablets (not stocked in DBTH pharmacies)	5mg daily (2.5mg in the elderly; increased up to 10mg, if necessary)	Hypertension, BPH	Perindopril erbumine 2mg, 4mg and 8mg Tablets	1-4mg daily (increased up to 16mg, if necessary)
Indapamide 1.25mg and Perindopril arginine 5mg (not stocked in DBTH pharmacies)	One tablet in the morning	Hypertension	Indapamide 1.5mg MR Tablet plus Perindopril erbumine 4mg Tablet (individual components)	One (of each tablet) in the morning
Opioids				
MST (Morphine) MR Tablets (not stocked in DBTH pharmacies)	Various	Various Note: CD prescriptions will need amending by the prescribers to correct the form stated.	Zomorph (morphine) MR Capsules Zomorph 5mg MR Capsules are not available and therefore this strength should not be switched.	Various

Approved by Drug and Therapeutics Committee: December 2022

Diltiazem				
Slozem XL preparations (and other diltiazem preparations including but not limited to: Adizem, Angitil, Calcicard, Dilzem, Kenzem, Slozem, Tildiem, Zemtard). For patients on twice daily (usually SR preps), calculate the single once daily Viazem XL dose by adding the two SR doses together. Counsel the patient regarding this change.	Various Doses usually not exceeding 360mg daily	Angina, Mild to Moderate Hypertension	Viazem XL 120mg, 180mg, 240mg, 300mg and 360mg capsules Note: if switching from a 200mg XL (or LA) preparation, use Viazem XL 180mg once daily and monitor while in-patient, titrating as clinically appropriate.	Initially 180mg once daily (120mg in the elderly). Maximum dose - 360mg once daily.
Skeletal Muscle Relaxants				
Quinine Sulphate 300mg Tablets Quinine Bisulphate 300mg Tablets (not stocked in DBTH pharmacies)	300mg at night	Nocturnal Leg Cramps	Quinine Sulphate 200mg	200mg at night
Non-Steroidal Anti-Inflammatory Drugs				
Diclofenac 25mg and 50mg Tablets (not stocked in DBTH pharmacies)	Various	Pain and Inflammation	Ibuprofen 400mg tablets	400mg TDS

Approved by Drug and Therapeutics Committee: December 2022

Calcium and Vitamin D Deficiency					
Accrete D3 Tablets Adcal D3 Calceos Tablets Calcichew D3 Forte Tablets Evocal D3 Tablets (not stocked in DBTH pharmacies)	Dose varies but provides similar amounts of calcium and vitamin D	Treatment or prophylaxis of calcium and vitamin D deficiency	Calci D Tablets	1 tablet daily	
Magnesium Deficiency	Magnesium Deficiency				
Magnesium Glycerophosphate 4mmol tablets (not stocked in DBTH pharmacies)	Various (usual treatment dose = 2 capsules TDS for 3/7)	Hypomagnesaemia	Magnesium aspartate 10mmol sachets (Magnaspartate)	Various (usual treatment dose = 1 sachet BD for 3/7)	
Rubefacients and other topical ar	ntirheumatics				
Topical NSAIDs Gel or Cream other than Ibuproren Gel 5% (not stocked in DBTH pharmacies)	Various	Musculoskeletal pain	Ibuprofen Gel 5%	Up to three times a day	

Approved by Drug and Therapeutics Committee: December 2022

Disorders of Bone Metabolism				
Pamidronate Sodium 30mg Injection (note: do not switch if CrCl >30ml/min – see renal handbook if further info required; or in paediatrics)	15-60mg	Hypercalcaemia of Malignancy	Zolendronic Acid 4mg Injection	4mg
Vitamin D Deficiency				•
Colecalciferol 1000unit (25microgram) Tablet Colecalciferol 20000unit (500microgram) Tablet (not stocked in DBTH pharmacies)	One tablet daily 300,000IU over 6 to 10 weeks	Vitamin D Deficiency Vitamin D Deficiency	Colecalciferol 800unit (20microgram) Tablet Colecalciferol 25000unit (625microgram) Tablet	One tablet daily 300,000IU over 6 to 10 weeks
Nicotine Replacement Therapy				
Nicorette Patch 15mg Nicorette Patch 10mg Nicorette Patch 5mg (not stocked in DBTH pharmacies) (nb. Nicorette Invisi is the formulary choice in pregnant ladies and should not be switched)	Apply in the morning, Remove at night	Smoking Cessation – see formulary guidance for further details	Nicotinell Patch 21mg Nicotinell Patch 14mg Nicotinell Patch 7mg	Apply in the morning, Remove at night

Approved by Drug and Therapeutics Committee: December 2022

Dipyridamole (all preparations)				
Dipyridamole 200mg MR caps Dipyridamole 100mg tablets Dipyridamole 50mg/5ml liquid	Various	Antiplatelet drugs	Clopidogrel 75mg tablets	75mg once daily
Dry and Scaling Skin Disorders				-
Emollient Creams and Ointments, paraffin-containing e.g. Oilatum, E45, Diprobase	Apply as required	Dry Skin Conditions	Zerobase Cream	Apply as required
Compound haemorrhoidal prepa	rations with corti	costeroids		
Proctosedyl Ointment Scheriproct Ointment (not stocked in DBTH pharmacies)	Apply twice daily	Relief of pain, irritation and pruritis associated with haemorrhoids and pruritis ani	Anusol Ointment	Apply twice daily
Doxazosin MR				1
Doxazosin 4mg and 8mg MR Tablets (not stocked in DBTH pharmacies)	4mg daily (increased up to 8mg, if necessary)	Hypertension, BPH	Doxazosin 1mg, 2mg and 4mg Tablets	1-4mg daily (increased up to 16mg, if necessary)

Approved by Drug and Therapeutics Committee: December 2022

Vitamin D Deficiency				
Colecalciferol 1000unit (25microgram) Tablet Colecalciferol 20000unit (500microgram) Tablet (not stocked in DBTH pharmacies)	One tablet daily 300,000IU over 6 to 10 weeks	Vitamin D Deficiency Vitamin D Deficiency	Colecalciferol 800unit (20microgram) Tablet Colecalciferol 25000unit (625microgram) Tablet	One tablet daily 300,000IU over 6 to 10 weeks
Aspirin EC	l	1	,	
Aspirin EC 75mg Tablets (not stocked in DBTH pharmacies)	75mg once daily	Cardiovascular disease (secondary prevention) and other indications	Aspirin dispersible 75mg tablets	75mg once daily
Isosorbide Dinitrate	I			
Isosorbide Dinitrate 10mg and 20mg Tablets (not stocked in DBTH pharmacies)	Up to 40mg twice daily (morning & lunchtime)	Prophylaxis of angina, adjunct in congestive heart failure	Isosorbide Mononitrate 10mg and 20mg Tablets	Up to 40mg twice daily (morning & lunchtime)
Vitamin B Co Strong				
Vitamin B Co Strong BPC Tablets (not stocked in DBTH pharmacies)	Various	No longer indicated from an evidence-based viewpoint.	Discontinue Vitamin B Co Strong BPC Tablets in alcohol detoxification regimes. Continue Thiamine where indicated.	Various

Approved by Drug and Therapeutics Committee: December 2022

Approved by Drug and Therapeutics Committee: December 2022