Doncaster Wound Care Alliance Formulary Product List

Second line products are for when predictable variation has occurred or Tier 4 implementation only

Category	Absorbents - Super absorber non adhesive dressing	Specification	A super absorber dressing manages high levels of exudate, to maintain skin integrity and support healing by absorbing exudate through the skin contact layer, into the core, which contains superabsorbent polymers where it locks in exudate, bacteria and matrix metalloproteinases. This means the fluid is retained, even under compression.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Emsorb max (Rocielle/Emperor) 	10, 13, 17, 18, 20, 22, 24, 33, 40	10 x 10cm 10 x 20cm 20 x 20cm 20 x 30cm 20 x 40cm	Kerramax	Standard exudate management	Green	Agreed at SYICB TVSIG procurement group
Drymax super 	19, 21 ,22, 24, 28	5 x 5cm 11 x 10cm 11 x 20cm 20 x 20cm 20 x 30cm 37 x 56cm	Kerramax	Lymphoedema and burns exudate management	Green	Agreed at SYICB TVSIG procurement group
Hidrawear dressings and clothing 	As per lymphoedema and dermatology guidance	As required	n/a	For diagnosis of Hidradenitis Suppurativa or as per lymphoedema and dermatology guidance	Amber G	Agreed at SYICB TVSIG procurement group
Kerramax 		**Required size**	**n/a**	**Only if Emsorb max or Drymax Super is not available through predicted variation**	**RED**	**2nd line for predicted variation Agreed at SYICB TVSIG procurement group for standard care and lymphoedema care**

Category	Adhesive island wound dressing	Specification	Self-adhesive wound dressing made of a soft non-woven fabric as support material, with a non-adherent wound dressing pad			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Softpore 	24	6 x 7cm 10 x 10cm 10 x 15cm 10 x 20cm	TBC		Green	Meets Specification

TBC		Required size	n/a		RED	2nd line for predicted variation or Tier 4

Category	Adhesive remover	Specification	Non-sting 100% silicone medical adhesive remover that does not cause skin trauma and evaporates in seconds.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Peel Easy adhesive remover by CD Medical 	Throughout	75ml	Please choose the most cost-effective product available	Adhesive remover that lessens the chance of trauma on the skin by allowing easy removal of the baseplate and any leftover residue.	Green	Meets specification

Category	Alginates	Specification	Sterile non-woven alginate fibre dressing or Enzyme Alginogel			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Kaltostat 	10, 20	7.5 x 12cm 10 x 20cm	Any other alginate sheet product available on the NSHSC	On contact with a bleeding wound, promotes haemostasis.	Green	On contact with a bleeding wound, promotes haemostasis.
Flaminal Hydro or Forte   ***Also an antimicrobial, debridement and Skin Protection Incontinence and Moisture product***	5, 6, 10, 20, 40	15g, 50g **(50g only in primary/community care)**	Each other	1st line where wound filling gel/fibres are required for tracking wounds.	Green	Hydro -Multipurpose products for nil to min exudate = gelling, debriding and antimicrobial Forte - Multipurpose products for moderate to heavy exudate = gelling, debriding and antimicrobial

Category	Antimicrobials / Bacteria binding	Specification	Topical antimicrobial dressing can be used to reduce the level of bacteria at the wound surface but will not eliminate a spreading infection. Some dressings are designed to release the antimicrobial into the wound, others act upon the bacteria after absorption from the wound.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
UrgoClean Ag *Also De-Sloughing* 	13, 18, 21, 22, 24, 39, 40	10 x 10cm 15 x 20cm	Acticoat flex 3	1st line antimicrobial dressing where the wound bed is visible or there is a cavity. *In relation to NICE HTE27 2025 - Our leg ulcer pathway does specific one particular antimicrobial as 1st line, however in line with NICE 1.4 factors that need to be*	Green	<u>High (4.6) log reduction in biofilms which maintains for seven days.</u> The only TLC-Ag product on the market Dissemond J, Dietlein M, NeβELER L, Funke L, Scheuermann O, Becker E,

				considered when choosing a dressing, therefor it is clinically appropriate that meets the needs of an infected leg ulcer: • *This product is a multidimensional product (so reduced the cost of additional products) as it cleanses, debrides, treats and prevents reoccurrence biofilm and bacteria.* • *It can stay in place for 7 days (so takes into consideration frequency of dressing changes needed)* • *As it is a multidimensional product it increases the opportunity for a person to change their own dressing. There for it is clinically appropriate that meets the needs of an infected leg ulcer* *In line with NICE 1.2 we have access to a range of different types of antimicrobials on our formulary, including: silver, honey, phmb, enzymatic alginates, DACC, iodine. We have 4 antimicrobials that are Green (accessible to all) of which the one on our leg ulcer pathway is one of those, 3 that are amber (in line with specific pathways in out formulary) and 8 that are red (for predicted variability of stock accessibility and/or specialist use only).*		Thomassin L, Moller U, Bohbot S, Munter KC. Use of a TLC-Ag dressing on 2270 patients with wounds at risk or with signs of local infection: an observational study. J Wound Care. 2020, Mar 2;29(3):162-173. Desroche N., Dropet C., Janod P., Guzzo J., Antibacterial properties and reduction of MRSA biofilm with a dressing combining polyabsorbent fibres and a silver matrix. J Wound Care, Vol 25, No 10, October 2016. Dalac S., Sigal L., Addala A., et al Clinical evaluation of a dressing with poly absorbent fibres and a silver matrix for managing chronic wounds at risk of infection: a non-comparative trial. J Wound Care, Vol 25, No 9, September 2016
Flaminal Hydro or Forte   ***Also an alginate, Debridement and Skin Protection Incontinence and Moisture product***	5, 6, 10, 20, 40	15g, 50g **(50g only in primary/community care)**	Each other	1st line where wound filling gel/fibres are required for tracking wounds.	Green	Hydro -Multipurpose products for nil to min exudate = gelling, debriding and antimicrobial Forte - Multipurpose products for moderate to heavy exudate = gelling, debriding and antimicrobial
Cutimed Sorbact  	10, 33, 39, 40	7 x 9cm pad 2 x 50cm roll/ribbon 5 x 200cm roll/ribbon	AMD Gauze	1st line antimicrobial dressing where wound filling dressing is required. ***Not for use under Negative Pressure Wound Therapy (NPWT)***	Green	Dialkylcarbamoylchloride The first product to available to binds microbes irreversibly using this technology
Kerlix AMD 		15 x 17cm (2's) 11.4cm x 3.7cm roll	Cutimed Sorbact - Not for use under Negative Pressure Wound Therapy (NPWT)	1st line antimicrobial dressing wound filling dressing is for NPWT. Gauze impregnated with 0.2% PHMB.	Green	Can be used under Renasys Negative Pressure Wound Therapy (NPWT)

Acticoat Flex 3 	20, 23, 32	5 x 5 cm 10 x 10cm	UrgoClean Ag	As part of the Foot Ulcer, Leg Ulcer or Infection Pathway, to be reviewed after 14 days unless Tier 4 service specifies differently	Amber - G	High log reduction within 30 minutes when compared to other silver dressings.
Biatain Ag foam – adhesive and non adhesive 	Around port sites and drains	As required		Around port sites and drains and 1st line Ag foam across south yorkshire	Amber - G	

Category	**Bandages**	**Specification**	Tubular bandages for dressing retention. Sub wadding bandages. An absorbent, non-woven, sub-bandage wadding comprising a blend of viscose and polyester. Used to reduce the effect of compression bandages and orthopaedic casting materials on the skin. May also be used to reshape the leg around the calf or ankle, to ensure correct pressures are achieved when applying four-layer compression, and to protect the bony prominences.

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Bandage – Tubular Clinifast  	16, 18, ,19, 20	Yellow 10.75cm x 5m Blue 7.5cm x 5m Beige 17cm x 1m	n/a		Green	Meets specification
Bandage - Sub Wadding K – Soft and Cellona  	12, 13, 16, 18, 19, 202, 21, 22, 28, 33, 39, 40	K – Soft 10cm x 2.7m	Benecare		Green	It is the first layer of the K-Four multilayer compression bandage system for venous leg ulcers.
		Benecare 5cm, 10cm, 15cm x 2.7m	n/a		**Red**	**2nd line for predicted variation or Tier 4**
		Cellona 10cm x 2.7m	K soft	**To be commenced by Tier 3, 4 ONLY**	**Red**	For Lymphoedema patients as more rigid and structured that Formflex or K-soft
Bandage - Light support K- lite 	12, 13, 16, 18, 19, 202, 21, 22, 28, 33, 39, 40	10cm x 4.5m	n/a		Green	It is the second layer of the K-Four multilayer compression bandage system for venous leg ulcers.

Category	Compression Bandages – Lower Limb	Specification	To improve vein circulation in legs to treat chronic oedema and aid venous return to prevent or assist healing for lower limb wounds			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Urgo K Two 40mmHg 	21, 22	10cm at 18 – 25 cm, 10cm at 25 - 32 cm	UrgoKFour		Green	The pressure remains the same for up to 7 days and at all activity levels thanks to both a short stretch as well as a long stretch bandage. 85% of nurses achieve therapeutic levels of compression at first application due to the unique PresSure indicators
Urgo K Two 20mmHg 	21, 22	10cm at 18 – 25 cm, 10cm at 25 - 32 cm	UrgoKFour **MINUS THE KO FLEX LAYER**		Green	
Actico 	For patient with Lymphoedema or as instructed by a Tier 4 service	8cm x 6m 10cm x 6m 12cm x 6m	Consult with the Lymphoedema team	For patient with Lymphoedema or as instructed by a Tier 4 service	Amber - G	RCT - 159 patients, 12 centres- Outcomes; ulcer closure 4 LB 68%, CSSB 73%. Mobility deficit did not affect healing with cohesive short stretch bandages
K PLUS 	**Only if Urgo K Two is not available**	10cm x 4.5m	**N/A**	**Only if Urgo K Two is not available through predicted variation. Only to use if competent in the application for 4 layer.**	**Red**	**2nd 2nd line for predicted variation or Tier 4**
Ko Flex 	**Only if Urgo K Two is not available**	10cm x 4.5m	**N/A**	**Only if Urgo K Two is not available through predicted variation. Only to use if competent in the application for 4 layer.**	**Red**	**2nd line for predicted variation or Tier 4**
Urgo K Four 	**Only if Urgo K Two is not available through predicted variation.**	**Standard box**	**N/A**	**Only if Urgo K Two is not available through predicted variation. Only to use if competent in the application for 4 layer.**	**Red**	**2nd line for predicted variation or Tier 4**

Category	Compression – Lower Limb Hosiery and Wraps (Sizes and ordering PIP number as per Appendix 7)	Specification	To improve vein circulation in legs to treat chronic oedema and aid venous return to prevent or assist healing for lower limb wounds		

Product Name and Image	Pathway indicated for use	Size/pack	Second line	Information and restrictions for use	Formulary Traffic Light	Rational, reason or evidence for product selection
Jobst Leg Ulcer Kit 40mmhg 	12, 22	40 mmHg			Green	
Jobst Ulcer care 	12, 22	14-17mmHg			Green	
Altipress 40 Leg Ulcer Kit 	20, 21,	40 mmHg			41 mmHg	
Altifrom 	20, 21,	18 -21 mmHg,			18 -21 mmHg,	
Juzo Move, Below Knee Open Toe		Class 1 (18-21mmHg)		For use in the community or within primary care (not within secondary care) following recommendations from TVALS. Use as per the manufacturing guidance and/or instructions from the Tissue Viability and Lymphoedema Service at RDaSH	Red G	
Juzo Move, Below Knee Closed Toe		Class 1 (18-21mmHg)			Red G	
Juzo Move, Below Knee Open Toe		Class 2 (23-32mmHg)			Red G	
Juzo Move, Below Knee Closed Toe		Class 2 (23-32mmHg)			Red G	
Juzo Liner Dual Stretch Below Knee Open Toe		20-30mmHg			Red G	
Juzo Liner Dual Stretch Below Knee Closed Toe		20-30mmHg			Red G	
Juzo Wrap AC Foot		ACS Light up to 40 mmHg			Red G	
JUZO - Wrap AC calf right		ACS Light- upto			Red G	

		40mmHg				
JUZO - Wrap AC calf left		ACS Light- upto 40mmHg			Red G	
Juzo Adjustable Compression Wrap System Light		2 Leg Lengths Available in foot, calf, knee and thigh piece Up to 52cm ankle, 70cm calf and 100cm thigh			Red G	
Juzo Move RAL Standard Hosiery (Juzo)		18 – 21mmHg			Red G	
Juzo Dual Stretch Liner					Red G	
Juzo Expert		Made to Measure 18 – 21mmHg 23 – 32mmHg		TVALS only	Red -G	
Juzo Expert Cotton		Made to Measure 18 – 21mmHg 23 – 32mmHg			Red G	
Juzo Expert Strong		Made to Measure 18 – 21mmHg 23 – 32mmHg			Red G	
Juzo Expert Strong Cotton		Made to Measure 18 – 21mmHg 23 – 32mmHg			Red G	
JOBST Elvarex Soft		Made to Measure 18 – 21mmHg 23 – 32mmHg			Red G	
JOBST Farrow Wrap Classic		Made to Measure 18 – 21mmHg 23 – 32mmHg			Red G	

- **Prescribe 2 garments per limb.**
- **If the patient required made to measure Hosiery please refer to TVALS.**
- **If there are no changes in the Lower Limb Assessment then 2 garments per limb should last 6 months.**
- **If the wear time is not lasting the frequency then please refer to TVALS.**

Please see link and QR code for the lower limb assessment and pathway booklet to assist with product selection [Doncaster-Compression-Booklet-2025-2028-1.pdf]

Category	**Compression Hosiery applicators**	**Category**	To assist with the application of compression hosiery to aid self-management			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Melany Sigvaris 	12, 20, 21	One size	n/a	Must have compression hosiery – **Primary/community care only**	Amber –G	To assist with the application of compression hosiery to aid self-management

The compressana Snapper 	12, 20, 21	One size	n/a	Must have compression hosiery – **Primary/community care only**	Amber –G	To assist with the application of compression hosiery to aid self-management
Magnlglide 	12, 20, 21	One size	n/a	Must have compression hosiery – **Primary/community care only**	Amber –G	To assist with the application of compression hosiery to aid self-management
Sockald 	12, 20, 21	One size	n/a	Must have compression hosiery – **Primary/community care only**	Amber –G	To assist with the application of compression hosiery to aid self-management
Rolly 	12, 20, 21	One size Sigvaris	n/a	Must have compression hosiery – **Primary/community care only**	Amber –G	To assist with the application of compression hosiery to aid self-management
Ezy- As (with or without handles) 	12, 20, 21	One size	n/a	Must have compression hosiery – **Primary/community care only**	Amber -G	To assist with the application of compression hosiery to aid self-management
Bandage protectors Limbo 	All	One size	n/a	Must have dressings/bandages or cast to lower limb – **Primary/community care only**		Waterproof protection for your cast or dressing below the knee (not suitable for orthopaedic boots). Perfect for your bath or shower

Category	Debridement	Specification	Either a Microfibre pad that is thin enabling easy access to hard-to-reach and undermined wound edges and cavities. Or a sterile, pre-moistened, single-use cloth for wound debridement and cleansing of the surrounding area.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Prontosan Debridement Pad 	1, 11, 12, 13, 17, 18, 20, 24, 39	3 pack 10 pack	Debrisoft Duo Pad		Green	
UrgoClean Ag 	13, 18, 21, 22, 24, 39, 40	6 x 6 cm, 10 x 10cm 15 x 20cm	Cutimed Sorbact	silver ions provide fast and broad-spectrum antimicrobial efficacy, combined cleaning and antimicrobial action to defeat biofilms and prevents reattachment.	Green	High (4.6) log reduction in biofilms which maintains for seven days. Provides complete and continuous cleaning action to the wound. Efficiency proven in real life study with more than 2000 patients.
Flaminal Hydro or Forte   ***Also an antimicrobial, alginate Skin Protection Incontinence and Moisture product***	5, 6, 10, 20, 40	15g, 50g **(50g only in primary/community care)**	Each other	1st line where wound filling gel/fibres are required for tracking wounds.	Green	Hydro -Multipurpose products for nil to min exudate = gelling, debriding and antimicrobial Forte - Multipurpose products for moderate to heavy exudate = gelling, debriding and antimicrobial
UCS debridement wipes 	To be commenced by Tier 4 or District Nurses ONLY	10 pack	Prontosan Debridement Pad	To be commenced by Tier 4 or District Nurses ONLY	Amber -G	
Debrisoft Duo Pad 	**Only if Prontosan Pad is not available through predicted variation.**	As required		**Only if Prontosan Pad is not available through predicted variation.**	RED	

Category	Dermal Gel Pad	Specification	Dermal Pads are hypoallergenic and latex free and help to cushion & protect against bruising, injury & pressure ulcers.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Kerrapro 	8, 9	10 x 10 x 1.2cm 20 x 20 x 1.2cm 50 x 2.5 x 0.3cm Heel Standard Sacrum/Ankle	Any other dermal pad available on NHS upply chain		Green	Pressure ulcer prevention

Category	Emollient	Specification	Emollients are moisturising treatments applied directly to the skin to soothe and hydrate it. They cover the skin with a protective film to trap in moisture.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
https://mpd.doncasterccg.nhs.uk/therapeutic-sections/13-skin/132-emollient-and-barrier-preparations/1321-emollients/						

Category	Film	Specification	A latex-free, transparent film dressing, coated with a layer of hypoallergenic acrylic adhesive. The frame delivery system provides a gentle but secure adherence to the skin, whilst allowing simple and accurate positioning over the wound site.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
EmFilm	6	4 x 5 cm, 9 x 10 cm, 10 x 25cm	n/a		Green	To prevent shear and friction on intact skin or to secure a different primary dressing in place. **1st line product across South Yorkshire**
Leukomed T Skin Sensitive 	For sensitive skin for prevention	8 x 10 10 x 25	n/a	DBTH Chatfield suite and Dialysis unit	Amber G	Meets specification
365 transparent film 	**Only EmFilm is not available through predicted variation.**	**As required to replace Clear Film sizes**	**EmFilm**	**Only if Clear Film is not available through predicted variation.**	**RED**	**2nd line for predicted variation across South Yorkshire**

Category	Film Island dressing	Specification	Vapour permeable dressing with adhesive and pad.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**

365 Transparent Island Dressings (MEDIQ) 	First aid as required and standard post operative dressing outside of the pathways	As required	n/a		Green	**1st line product across South Yorkshire**
Leukomed T plus skin sensitive 	For sensitive skin for first aid or medical procedures as required	8 x 10 10 x 25	n/a	DBTH Chatfield suite and Dialysis unit	Amber G	Meets specification

Category	**Fludroxycortide**	**Specification**	Fludroxycortide in tape from with 4mg per cm2			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Fludroxycortide tape 4mg per cm2 	39	7.5 x 20cm, 7.5 x 50cm	n/a	Only in line with the T.I.M.E.S Pathway for the management of over granulation. Ordered via Pharmacy not NHS supply chain.	Amber G	Adjunctive therapy for chronic, localised, recalcitrant dermatoses that may respond to topical corticosteroids and particularly dry, scaling lesions

Category	**Foam**	**Specification**	Conformable, absorbent polyurethane foam pad with a vapour-permeable film backing and a gentle silicone adhesive border and a non silicone boarded version			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Suprasorb P senisiFlex foam – adhesive 	6, 10, 19, 20, 26, 28, 33, 39, 40	15 x 15cm, 20 x 20cm, 10 x 30cm, 7.5 x 9.5cm, 12 x 12cm, 16x 20cm	Biatain Silicone 3D fit	1st line across Doncaster, Sheffield and Barnsley as part of the SYICB TVSIG Procurement Project 2025.	Green	Silicone based foam that manages exudate whilst reducing exudate pooling thereby reducing the risk of infection and macerated peri-skin.
Suprasorb P Sensitive non border foam 	For use where the patient has an allergy or sensitivity to adhesive	5 x 5 cm, 10 x 10 cm, 10 x 20cm	n/a	1st line across Doncaster, Sheffield and Barnsley as part of the SYICB TVSIG Procurement Project 2025. For use where the patient has an allergy or sensitivity to adhesive or around port sites.	Amber-G	Manages exudate whilst having no silicone present on the dressing.

Biatain Silicone 3D fit 		10 x 10cm,, 12.5 x 12.5cm, 15 x 15cm, 17.5 x 17.5cm, 10 x 30cm		2nd line across Doncaster, Sheffield and Barnsley as part of the SYICB TVSIG Procurement Project 2025. Will conform upto 2cm, therefore a wound filler (unless infection is present) is not required if the wound is no deeper than 2 cms.	**RED**	**Silicone based foam that manages exudate while offering patient comfort and minimising pain on removal.**
Biatain Non Ahesive foam 		5 x 7 cm, 10 x 10 cm, 10 x 20cm		2nd line across Doncaster, Sheffield and Barnsley as part of the SYICB TVSIG Procurement Project 2025.	**RED**	**Silicone based foam that manages exudate while offering patient comfort and minimising pain on removal.**

Category	**Foam (featuring TLC)**	**Specification**	A soft-adherent foam dressing featuring TLC (technology lipido-colloid) Healing Matrix that provides a nurturing environment for healing, pain-free dressing changes and harm-free care.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
UrgoTul Absorb 	10, 11, 12, 24	8 x 8cm 10 x 10cm 12 x 12cm 15 x 15cm 15 x 20cm	UrgoStart Plus Border	Liipido-colloid provides and maintains a moist environment that promotes the healing process.	Green	

Category	**Foam (featuring TLC-NOSF)**	**Specification**	Technology Lipido-Colloid with Nano Oligo Saccharide Factor (TLC-NOSF) is a healing matrix reduces excess matrix metalliproteunases, rebalancing the wound and closing it sooner.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
UrgoStart Plus Border 	6, 13, 20, 21, 22, 24	6 x 6cm, 10 x 10cm, 15 x 20cm	UrgoStart Plus Pad	As below	Green	As below
UrgoStart Plus Pad 	6, 13, 20, 21, 22, 24	8 x 8cm, 10 x 10cm, 13 x 13cm, 15 x 20cm	UrgoStart Plus Border	Polyabsorbent fibre containing soft-adherent TLC-NOSF Healing Matrix that jellifies in contact with wound exudate, reducing MMP levels and restoring balance to close wounds sooner.	Green	NICE 2019 and 2023 medical technology guidance (MTG42) states that evidence supports the case for adopting UrgoStart dressings to treat diabetic foot ulcers and venous leg ulcers.

Category	**Hydrocolloids**	**Specification**	Absorbent hydrocolloid dressing with added alginate for absorption, a vapour-permeable film backing and bevelled edge to reduce the risk of rolling edges. Mapping grid to aid wound measurement.			
Product Name and Image	**Pathway**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary**	**Rational, reason or evidence for product**

	indicated for use				Traffic Light	selection
Comfeel Plus 	6,39	10 x 10cm, 15 x 15cm, 15 x 20cm, 20 x 20cm	Comfeel Plus Contour	Autolytic debridement, providing a warm moist environment. Provides protection to intact skin.	Green	Autolytic debridement and skin protection. 1st line across South Yorkshire
Comfeel Plus Contour 	6, 39	6 x 8cm, 9 x 11cm	Comfeel Plus	Autolytic debridement, providing a warm moist environment for wound healing.	Green	Autolytic debridement with contour 1st line across South Yorkshire
DuoDERM 	6, 8, 9, 39	10 x 10cm, 15 x 15cm	Comfeel Plus	Autolytic debridement, providing a warm moist environment. Provides protection to intact skin.	Green	Autolytic debridement and skin protection 1st line across South Yorkshire

Category	Hydrogel	Specification	To hydrate wounds, re-hydrate eschar and aid in autolytic debridement. Hydrogels are insoluble polymers that expand in water and are available in sheet, amorphous gel or sheet hydrogel-impregnated dressings.

Product Name and Image	Pathway indicated for use	Size/pack	Second line	Information and restrictions for use	Formulary Traffic Light	Rational, reason or evidence for product selection
Hydroclean Plus 	To be commenced by Tier 4 or District Nurses ONLY	4cm round, 7.5 x 7.5cm	Comfeel Plus	To be commenced by Tier 4 or District Nurses ONLY	Amber G	Autolytic debridement

Category	Irrigation and cleansing	Specification	Wound Irrigation Solutions or Gel that can be used treat and help prevent infections in acute and chronic wounds including: Traumatic wounds. Post-operative wounds. Chronic skin ulcers (e.g. venous, diabetic or pressure ulcers)

Product Name and Image	Pathway indicated for use	Size/pack	Second line product if predictable variation has occurred	Information and restrictions for use	Formulary Traffic Light	Rational, reason or evidence for product selection
Prontosan Solution (Irrigation Solution) 	1, 11, 12, 13, 17, 18, 20, 21, 22,24, 33, 34, 36, 39	40ml 350ml (only in the primary care)	n/a	Wound cleansing to prevent and treat biofilm formation and bacteria burden	Green	
Prontosan Wound Gel X 	1, 11, 12, 13, 17, 18, 20, 21, 22,24, 33, 34, 36, 39	50g 250g **(only in the primary care)**	n/a		Green	

Normasol – Normal Saline 	1, 2, 11, 12, 13, 17, 18, 20, 21, 22,24, 33, 34, 36, 39	25ml	n/a	0.9% w/v sodium chloride in purified water, packed in a sachet. Each sachet is sterile, self-contained and disposable resulting in minimal waste and reduced risk of cross contamination.	Green	

Category	**Low Adherent dressing**	**Specification**	Highly absorbent, low-adherent dressing.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line product**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Melolite 	For use under plaster caster and around fingers only	5x7.5cm 10x7.5cm	N/A	For use under plaster caster and around fingers only	Amber - G	Meets specification

Category	**Negative Pressure Wound Therapy**	**Specification**	Aims to optimize the physiology involved in wound healing by applying sub-atmospheric pressure to help reduce inflammatory exudate and promote granulation tissue.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
PICO 7 	32, 34, 38	10 x 20cm, 20 x 30cm 10 x 40cm, 15 x 15cm 15 x 20cm, 15 x 30cm 20 x 20cm, 25 x 25cm	PICO 14	To be commenced by Tier 3 and 4 or District Nurses ONLY and be reviewed after 14 days as per	Amber - G	
PICO 14 	32, 34, 38	10 x 20cm, 20 x 30cm 10 x 40cm, 15 x 15cm 15 x 20cm, 15 x 30cm 20 x 20cm, 25 x 25cm	n/a	To be commenced by Tier 3 and 4 or District Nurses ONLY and be reviewed after 14 days as per	Amber - G	
Renasys Touch Canister 	34	300ml, 800ml	N/A	To be commenced by Tier 3 and 4 or District Nurses ONLY and be reviewed after 14 days as per	Amber - G	
Renasys F Foam Kit	34	Large	Renasys -G Gauze Kit	To be commenced by Tier 4 or District	RED	

				Nurses ONLY Tier 4 will supply the consumables for Tier 3 Shared Care		
Renasys -F/AB Abdominal Foam Kit 	34	One size	N/A			
Renasys -G Gauze Kit 	34	Large	Renasys F Foam Kit			
Y-Connector 	34	One size	N/A			
Renasys G 10FR Round Drain Gauze Kit 	34	One size	N/A			
Renasys G 10mm Flat Drain Gauze Kit 	34	One size	N/A			

Category	**Odour control**	**Specification**	Sterile, non-adhesive, multilayer dressing with an absorbent layer, a one-way, water-resistant film to delay strikethrough to the carbon layer, thereby prolonging its odour-adsorptive properties, an activated charcoal cloth, an absorbent pad for comfort and a water-resistant top layer

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Actisorb 	10 Only for odour control	9.5 x 6.5cm, 19 x 10.5cm	Carboflex	Only for odour control	Amber G	Activated charcoal traps odour in the dressing Activated charcoal binds bacteria and toxins that impair the healing process Silver kills the bacteria in the dressing.

Carboflex 		**8 x 15cm , 10 x 10cm, 15 x 20cm**	**Actisorb**	**Only if Actisorb is not available through predicted variation.**	**RED**	**2nd line for predicted variation or Tier 4**

Category	**Paraffin Free Emollient**	**Specification**	HOFAs product to provides essential fatty acids, in the form of linoleic acid, to the skin's intercellular lipid matrix, mechanically repairing the stratum corneum; helping to increase skin hydration, strengthen the skin barrier and improve elasticity whilst reducing TEWL.

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Linovera Oil 	1	30ml	n/a	Paraffin Free Emollient – for consideration as part of the therapeutic cleansing and wound bed preparations steps of wound management	Green	DBTH and RDaSH initial evaluation: The evaluations also found that considerably less product was required to cover the same surface area compared to previous practice. The unique formulation of both LV products allowed for easier application and coverage; absorbing into the skin was noted to be much quicker compared to previous used products, allowing for the donning of hosiery/compression without delay. LV Oil dispenses 0.06 ml per pump and LV Emulsion dispenses 0.81g per pump, the average pumps needed, as part of this evaluation, for each treatment was 6 for LV Oil (0.36 ml) and 7 for LV Emulsion (5.67g) meaning a full bottle would sufficiently last 83 and 18 applications respectively.
Linovera Emulsion 	1	50ml	n/a	Paraffin Free Emollient – for consideration as part of the therapeutic cleansing and wound bed preparations steps of wound management	Green	

Category	**Post-operative dressing**	**Specification**	Bacteria proof, water proof film island dressing with an absorbent pad. Visibility through the dressing is ideal as this can prevent dressing changes.

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
365 Transparent Island Dressings (MEDIQ) 	First aid as required and first line post operative dressing outside of a pathway 31	As required	n/a		Green	**1st line product across South Yorkshire**
OPSITE Post Op Visible 	Cardiac surgery	10 x 8cm, 15 x 10cm, 20 x 10cm, 25 x 10cm, 30 x 10cm, 35 x 10cm	OPSITE Post Op	Cardiac surgery	Amber G	As agreed at SYICB TVSIG procurment group
Mepilex border post	32	6 x 8cm, 9 x 10cm,	OPSITE Post Op Visable	Orthopaedic surgery and Paediatric surgery	Amber G	Evaluation in MEOC at DBTH by the

		10 x 15cm, 10 x 20cm, 10 x 25cm, 10 x 30cm, 10 x 35cm				orthopaedic consultants As agreed at SYICB TVSIG procurment group
Leukomed sorbact 	31	4 x 12cm. 4 x 14cm, 5 x 7.2cm, 10x20cm, 10x25cm, 10x30cm, 10x35cm	OPSITE Post Op	Obstetrics Surgery	Amber G	As agreed at SYICB TVSIG procurment group

Category	**Skin Protection**	**Specification**	Non-sting barrier cream or film providing transparent long-lasting protection from moisture-associated skin damage. Moisturises and protects mildly damaged and intact skin by forming a waterproof barrier, preventing irritation from bodily fluids, adhesive products and friction.

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Medi Derma-S Total Barrier Film 	3, 4, 5, 6,10 ,11, 39	foam applicator 1ml (pack of 5)		For peri wound skin care	Green	Meets the specification
Medi Derma-S Total Barrier Cream 	3, 4, 5, 6, 39	2g (20 pack) 28g tube		For peri wound skin care 28g Not for Secondary Care 2g Not for Primary Care	Green	Meets the specification
Sorbaderm Barrier Film 	**predicted variation**	**foam applicator 1ml (pack of 5)**		**Only if Medi derma S is not available through predicted variation**	**Red**	**2nd line for predicted variation or Tier 4**
Sorbaderm Barrier Cream 	**predicted variation**	**2g (20 pack) 28g tube**		**Only if Medi derma S is not available through predicted variation**	**Red**	**2nd line for predicted variation or Tier 4**

Category	**Skin Protection – Incontinence and Moisture**	**Specification**	A gentle, pH-balanced, no-rinse moisturising cleanser designed to protect against moisture-related skin damage (MASD) such an incontinence-associated dermatitis on intact and injured skin, and a dimethicone-based skin protectant containing copolymer bioadhesives. Can be used to protect against or manage moisture-related skin damage (MASD).

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Medi Derma Pro Foam and Spray	3, 4, 5, 6	**250g**	Proshield Foam & Spray Incontinence Cleanser	Use in areas that are exposed to moisture	Green	In alignment with the rest of South Yorkshire

						
Medi Derma Pro Skin Protectant Ointment – Non Sting 	3, 4, 5, 6	**115g**	Proshield PLUS Skin Protectant	Use in areas that are exposed to moisture	Green	In alignment with the rest of South Yorkshire
Flaminal Hydro or Forte   ***Also an antimicrobial, debridement and Skin Protection Incontinence and Moisture product***	5	15g, 50g **(50g only in primary/community care)**	Each other	1st line where wound filling gel/fibres are required for tracking wounds.	Green	Hydro -Multipurpose products for nil to min exudate = gelling, debriding and antimicrobial Forte - Multipurpose products for moderate to heavy exudate = gelling, debriding and antimicrobial
Proshield Foam & Spray Cleanser 		Proshield Foam & Spray Incontinence Cleanser 235ml		**Only if Mediderma is not available through predicted variation**	Red	Following award winning work completed by DBTH Procurement and Skin Integrity Team
Proshield PLUS Skin Protectant 		Proshield PLUS Skin Protectant 115g		**Only if Mediderma is not available through predicted variation**	Red	

Category	**Wound Contact dressings**	**Specification**	Non-adherent, polyester mesh wound contact layer. 1mm pore size and impregnation of neutral triglycerides to prevent penetration of granulation tissue into dressing. Petrolatum-free.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Atrauman	10, 19, 26, 28, 33, 34	5 x 5cm, 10 x 10cm, 10 x 20cm	Atrauman Silicone		Green	As a non-adherent wound contact layer, it is particularly suitable for preventing the

						secondary dressing from sticking to the wound bed and for keeping wound edges and surrounding skin supple.
Atrauman Silicone 	Children only	5 x 5cm, 10 x 10cm, 10 x 20cm	N/A	Children only	Amber - G	

Category	**Zinc dressings**	**Specification**	Zinc paste (10% zinc oxide) bandage for the treatment and management venous insufficiency associated skin conditions and for use in dermatology to treat chronic eczema and dermatitis. Can be used as a primary contact layer under compression therapy systems where venous insufficiency exists.

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Viscopaste 	**To be commenced by Tier 4 ONLY**	7.5cm x 6m	Zipzoc	**To be commenced by Tier 4 ONLY for the management of chronic eczema/ dermatitis)**	Amber - G	Treatment and management venous insufficiency associated skin conditions and for use in dermatology to treat chronic eczema and dermatitis.
Zipzoc 	**2nd line for predicted variation or Tier 4**	**7.5cm x 6m**	**n/a**	**2nd line for predicted variation or Tier 4**	**RED**	**2nd line for predicted variation or Tier 4**

Tier 4 Products

Category	Antimicrobials	Specification	Topical antimicrobial dressing can be used to reduce the level of bacteria at the wound surface but will not eliminate a spreading infection. Some dressings are designed to release the antimicrobial into the wound, others act upon the bacteria after absorption from the wound.			
Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Activon 	**To be commenced by a Tier 4 service ONLY**	20g tube	**Revamil honey wound gel**	Tier 4 As part of the Pathway for Wound Infection	**RED**	100% medical grade Honey **1st line across the South Yorkshire ICS**
Algivon 		10 x 10cm	Activon	Tier 4 As part of the Pathway for Wound Infection	**RED**	100% medical grade Honey **1st line across the South Yorkshire ICS**
Revamil honey wound gel 				Tier 4 As part of the Pathway for Wound Infection **Only if Activon is not available through predicted variation.**	RED	**2nd line across the South Yorkshire ICS**
Revamil honey 				Tier 4 As part of the Pathway for Wound Infection **Only if Algivon is not available through predicted variation.**	RED	**2nd line across the South Yorkshire ICS**
Iodoflex (Iodine Cadexomer) 		Pad 5g 4 x 6cm 10g 4 x 6cm	n/a	**To be commenced by a Tier 4 service ONLY following change to BNF guidance** **To be commenced by a Tier 4 service ONLY following change to BNF guidance**	**RED**	https://bnf.nice.org.uk/wound-management/antimicrobial-dressings/iodine-dressings/
Inadine Systagenix Inadine 		5 x 5cm 9.5 x 9.5cm	Any other Inadine product			Meets specification
Durofiber Ag		5 x 5cm 10 x 10cm 15 x 15cm	n/a	**To be commenced by a Tier 4 service ONLY Where no effect has been seen with UrgoClean Ag**	**RED**	Meets the specification

		2 x 45cm				
Askina Calgitrol Paste 		15g, 100g	n/a	**To be commenced by a Tier 4 service ONLY**	**RED**	Meets the specification
Acticoat flex 7 		10 x 10 cm	Acticoat flex 3	**To be commenced by a Tier 4 service ONLY**	**RED**	Meets the specification and high log reduction https://www.smith-nephew.com/en-gb/health-care-professionals/products/advanced-wound-management/acticoat-flex#evidenceandcasestudies

Category	**Debridement**	**Specification**	Biosurgical treatment for the debridement and cleansing of wounds consisting of aseptically produced larvae of Lucillia sericata sealed in a finely woven polyester pouch containing larvae and PVA foam spacer piece(s)

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Larval Therapy Biomond 	**To be commenced by Tier 4 ONLY**	2.5 x 4cmBB50, 5x 4cmBB100 5 x 6cmBB200, 6 x 12cm BB300, 10 x 10cm BB400		**To be commenced by Tier 4 ONLY**	**RED**	

Category	**Gelling Fibers**	**Specification**	A highly absorbent, non-woven, gelling fibre dressing composed of a blend of cellulose-based fibres. When the dressing fibres come into contact with exudate, they swell and form a soft cohesive gel sheet. Exudate is locked within the gel dressing structure.

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Durafiber 	**To be commenced by Tier 4 ONLY**	5x5cm 10x10cm 15x15cm	Kaltostat	**To be commenced by Tier 4 ONLY**	**RED**	Meets the specification

Category	**Heel Balm**	**Specification**	Balm containing 25% Urea

Product Name and Image	**Pathway indicated for use**	**Size/pack**	**Second line**	**Information and restrictions for use**	**Formulary Traffic Light**	**Rational, reason or evidence for product selection**
Flexitol Heel Balm containing 25% Urea 	**To be commenced by Tier 4 ONLY**	40g , 75g	Flexitol Cream 10%	**To be commenced by Tier 4 ONLY** **Primary care: Prescribe by brand for 1 month ONLY. (Patients then recommended to purchase over the counter if effective)**	**Amber G**	Provides a medically proven regime for dry, cracked heels and feet associated with diabetic anhidrosis. Urea has highly hydrating and moisturising properties. It is a major constituent of the skin's Natural Moisturising Factor (NMF) and is widely distributed within human tissue.
Flexitol Cream 10% 		150g	Flexitol Heel Balm 25% urea		**Amber G**	

- Flexitol heel balm (25% urea) is recommended for those people who have severe dry skin with the presence of underlying medical conditions that increase the risk of potential limb loss (such as **diabetes**, **peripheral vascular disease**, **severe chronic kidney disease**, **total sensory neuropathy** to lower limbs).
- Some long-term conditions such as diabetes lead the individual more prone to dry skin that if not managed may deteriorate and lead to a breach in the skin surface allowing bacterial entry and infection. Those patients who also have lower limb vascular disease and/ or neuropathy are at extremely high risk of amputation and therefore a good skin care regime is essential.
- Diabetic feet are more likely to become dry and callused due to autonomic neuropathy. Urea is a keratolytic which removes dead skin cells, and it is also a humectant which helps hydrate the skin.
- Where necessary patients with Severe/ moderate callus associated with the conditions listed will be advised by the Podiatry Foot Protection Service to request a prescription for 25% Flexitol Heel Balm for 2-4 weeks on an acute prescription. If

no improvement or a deterioration seen when reviewed, refer back to Podiatry Foot Protection Service. After 2-4 weeks, if the patient's skin has improved with 25% Flexitol Heel Balm, the patient should then be advised to switch to 10% Flexitol urea cream, most patients should be advised to purchase OTC but there may be patients who will require an ongoing prescription and would be reviewed by the Podiatry Foot Protection Service.

Dermatology chemical compounds, steroids, and any other medication

To be prescribed as recommended by the Dermatology Department in line with Doncaster and Bassetlaw Joint Formulary, for guidance refer to Doncaster and Bassetlaw Joint Formulary on the NHS SY ICB Doncaster Place Medicines Management Website.

- mpd.doncasterccg.nhs.uk/therapeutic-sections/13-skin/132-emollient-and-barrier-preparations/1321-emollients/

Category	Paraffin Gauze Dressings	Specification	Soothing and low-adherent and allows the wound to drain freely into an absorbent secondary dressing. Maintains shape, resists fraying. A sterile paraffin tulle gras dressing made from open weave gauze.

Product Name and Image	Pathway indicated for use	Size/pack	Second line	Information and restrictions for use	Formulary Traffic Light	Rational, reason or evidence for product selection
Jelonet 	**Tier 4 ENT Surgery ONLY**	5 x 5cm, 10 x 10cm	n/a		**RED**	